

Contents

Interior Paints

Explore our wide range of high-quality interior paints, designed to enhance the beauty and durability of your indoor spaces.

Viero Decoratives

Italian craftsmanship transforming spaces with timeless elegance and innovative finishes.

Exterior Paints

Our exterior paints are crafted to withstand harsh weather conditions while adding curb appeal to your property.

Enamels

Our enamel products provide a tough, durable finish perfect for wood, metal, and other surfaces needing a protective layer.

Wood Coatings

Explore our range of wood coatings, including clear wood finishes and durable top coats, designed for superior wood protection.

Protective Coatings

Discover our selection of protective coatings, engineered to shield surfaces from wear, corrosion, and environmental damage.


Functional

Browse our comprehensive line of primers and stucco products, formulated to enhance surface adhesion and provide a durable foundation for finishes.









Oasis Hygiene

Oasis Hygiene is a luxurious premium quality acrylic emulsion paint with superior grade pigment, possessing excellent levelling, hiding and washability. It is very effective against fungal and mould growth, whilst providing excellent alkali resistance. It provides a smooth luxurious silk finish.

S 0530-Y90R

Pack Size: 3.6L & 18L Finish: Matt & Silk

Theoretical Spread Rate: 9.1-16.4m2/l

Bioshield



BioShield is a high-performance, pure acrylic, anti-bacterial interior paint designed to provide superior protection against microbial growth. With its advanced formulation, it ensures long-lasting resistance to bacteria and fungi, making it an ideal choice for maintaining a clean and hygienic indoor environment. The product delivers a smooth finish, offering both aesthetic appeal and

functional benefits. BioShield also boasts excellent wet scrub properties, ensuring a durable and reliable coating on a variety of interior surfaces.

Pack Size: 900ML, 3.6L & 18L

Finish: Matt

Theoretical Spread Rate: 10-13 m²/l





Trumastic Luxury Silk

Trumastic Luxury Silk is a premium quality acrylic emulsion paint having superior grade pigment possessing excellent levelling, hiding and washability. Additionally, it has very good crackbridging ability enhancing the life of the coating. It provides a smooth luxurious silk finish.

Pack Size: 900ML, 3.6L & 18L

Finish: Smooth Silk

Theoretical Spread Rate: 9.7-17m2/l



2001 Red orange



1015 Bright ivory



Trumastic Luxury Semi-Gloss

Trumastic Luxury Semi-Gloss is a premium quality acrylic copolymer based emulsion paint for interior surfaces. It has excellent alkali resistance and is highly washable. It provides a smooth luxurious semi-gloss finish.

Pack Size: 900ML, 3.6L & 18L

Finish: Smooth and Semi-Gloss

Theoretical Spread Rate: 8.8-16m2/l







UltraScrub

Oasis UltraScrub is premium quality paint with a smooth matt & silk finish. It is specially formulated with Colour retention design that keeps your wall elegant for long lasting. Now with Anti-bacterial features, protecting walls from growth of fungus and bacteria.

Trumastic Luxury Matt

Trumastic Luxury Matt is a premium superior quality acrylic copolymer based highly washable emulsion paint for interior surfaces. It has excellent alkali and scrub resistance. Additionally, it has inherent anti-chalking properties.

Pack Size: 900ML, 3,6L & 18L

Finish: Smooth Matt

Theoretical Spread Rate: 9.7-17m2/l

Pack Size: 900ML, 3.6L & 18L

Finish: Smooth Matt

Theoretical Spread Rate: 13m²/l



S 1005-Y90R



S-2020 - G10Y Pine green



Trumastic Acrylic Matt

Trumastic Acrylic Matt is a high-quality interior paint with excellent alkali resistance, hiding, and washability, delivering a smooth, matt finish.

Pack Size: 3.6L & 18L Finish: Smooth Matt

Theoretical Spread Rate: 13.7-19.2m²/I





Trumastic Matt

Trumastic Matt is an acrylic interior paint offering moderate washability, good hiding power, recoat properties, and excellent durability.

Pack Size: 900ML, 3.6L & 18L

Finish: Smooth Matt

Theoretical Spread Rate: 9.7-17m²/l





Trumastic Super Matt

Trumastic Super Matt is high quality acrylic copolymer based emulsion paint with excellent alkali resistance and adhesion to the substrate. It offers excellent hiding with very good washability.

Pack Size: 900ML, 3.6L & 18L

Finish: Smooth Matt

Theoretical Spread Rate: 12m²/l





Trumastic Plastic

Trumastic Plastic is an acrylic-based matt paint for interiors, featuring good levelling, recoat ability, and coverage with low washability.

Pack Size: 900ML, 3.6L & 18L

Finish: Smooth Matt

Theoretical Spread Rate: 13m²/l



9016 Traffic white



SmartChoice

SmartChoice is an acrylic copolymer emulsion paint with moderate washability. It is suitable for interior walls and ceilings. The distinguishing features of this product are excellent coverage i.e. 80-100 square meter per pail with high a dilution ratio and excellent hiding.

Pack Size: 20Kg

Finish: Matt

Theoretical Spread Rate: 10-16m2/l





Illume

Illume is an acrylic co-polymer metallic paint, available in silver and curated colours, ideal for adding elegance to interiors. Its versatile application and superior coverage create a polished, modern look for feature walls or entire rooms.




Pack Size: 3.6L

Colours: Available in a handpicked selection of colours

Finish: Metallic

Theoretical Spread Rate: 6.0-8.0m2/l

DECORATIVES





Allure

Allure is a decorative metallic interior paint, easy to apply and versatile in textures and colours. Its fine glass sand creates elegant effects with gold or silver reflections.



Gold

Application Tools: Brush (spalter)
Use a plastic spatula to distribute any build-up of product.



Ghibli

With calibrated quartz sand, it creates soft movements and refined matt textures, inspired by the Sahara's shaping winds.



GH98

Application Tools: Soft Bristle Brush (spalter type) Stir thoroughly before application.



Vieroplast

Vieroplast enables personalized textures, from trowelled to ribbed, creating unique material-like finishes.

Application Tools: Stainless Steel Trowel



PLA14

Marmorin

Marmorin, a lime-based plaster for interiors and exteriors, offers breathability, colour stability, and a natural look. Eco-friendly and ideal for restoring historic buildings.

Application Tools: Stainless Steel Spatula



MM47



Marmorin Hydro

Marmorin Hydro is a slaked lime marmorino with hydrophobic additives, offering water repellence and a sophisticated matte marble-like finish.

Application Tools: Stainless Steel Spatula

Marmorin Extra


Marmorin Extra, made from aged lime putty, creates translucent smooth or textured finishes, ideal for restoring historic buildings.

Application Tools: Stainless Steel Spatula



MM15





Marmorin Sand

Marmorin Sand, a slaked lime plaster with natural sand, offers an eco-friendly translucent finish with a smooth, shaded, salt-and-pepper effect.

Application Tools: Stainless Steel Spatula





Marmorin Satin

Medium-grain lime-based Marmorino with a smooth satin marble finish, ideal for historic buildings with ornamental features like cornices and pilasters.

Application Tools: Stainless Steel Spatula



1013 Oyster white



Travertine

Travertine, made with lime putty, marble sands, and natural pigments, mimics classic limestone with excellent breathability and mold resistance.

Application Tools: Stainless steel spatula, then pass with a honeycomb sponge roller.



Mushroom

Viero Vel

Viero Vel is a water-resistant matt glaze for Viero products, offering a cloudy finish while maintaining vapor permeability.


Application Tools: Brush, sponge, glove & pad.

L 105

L105 is a ready-to-use synthetic resin emulsion that enhances gloss, provides protection, and adds water repellence while maintaining vapor permeability. Suitable for interiors and exteriors.

Application Tools: Spatula





Aqua Protection

Aqua Protection is a transparent, UV-resistant finish for mineral and acrylic surfaces, preserving the natural look of lime-based products.

Application Tools: Short-hair roller

NaturWax Eco

NaturWax Eco, a blend of natural waxes, adds shine and water protection to lime finishes like stucco veneziano. Free of latex and resins, it preserves vapor permeability.

Application Tools: Soft Cloth, brush, spatula Soft cloth polishing.

OLTRE | Beyond Boundaries

Seamless decorative wall and floor system

OLTRE is a joint-free, seamless floor and wall decorative system that creates a harmonious sense of visual continuity in the spaces where it is applied.

OLTRE perfectly satisfies the technological, performance and design needs of architects and engineers, and can be used in a wide range of contexts:


Commercial

Residential

Business

Hospitality

Dedicated to wellness





OLTRE is available in two effects:

Polished

Trowelled


In the right light, with the right paint, everything is extraordinary.



Exterior Paints

Enhance your home's curb appeal with Oasis Paints' exterior collection, designed to protect and beautify your facade. Our durable paints withstand harsh weather, resist fading, cracking, and peeling, ensuring your home stays vibrant for years.

With UV-resistant and anti-fungal finishes, Oasis offers the perfect blend of style and protection, keeping your exteriors looking fresh and resilient in any climate.



UltraSmooth


UltraSmooth is a pure acrylic emulsion paint with superior pigments, offering long-lasting protection, anti-carbonation, crack-bridging, and excellent anti-fungal properties in a silky orange peel texture.



Pack Size: 3.6L & 18L

Finish: Silky orange peel effect

Theoretical Spread Rate: 3.5 - 5.86m²/I



Trushield Acrylic Silk Smooth

Trushield Acrylic Silk Smooth is a premium pure acrylic paint offering superior resistance to alkali, UV radiation, and harsh weather, ideal for high humidity and extreme conditions.

Pack Size: 3.6L & 18L Finish: Smooth Silk

Theoretical Spread Rate: 12-17m²/l





MaxShield is a high-performance paint specially formulated to deliver superior weather protection and durability to exterior walls. It is a 100% acrylic water-based emulsion, suitable for masonry surfaces which are appropriately primed.

Pack Size: 900ML, 3.6L & 18L

Finish: Matt

Theoretical Spread Rate: 9.5-12.3m²/I



Trushield Acrylic Matt Smooth

Trushield Acrylic Matt Smooth is a premium acrylic paint offering superior resistance to alkali, UV radiation, and harsh weather, ideal for high humidity and extreme conditions.

Pack Size: 3.6L & 18L Finish: Smooth Matt

Theoretical Spread Rate: 13.2-18.5m²/l





Trushield Silk Smooth

Trushield Silk Smooth is a high-quality acrylic exterior paint with excellent resistance to alkali, UV, and harsh weather, preventing chalking and resisting fungal attacks.

Pack Size: 3.6L & 18L Finish: Smooth Silk

Theoretical Spread Rate: 14.5m2/l



9003 Signal white



6034 Pastel turquoise

Trushield Matt Smooth

Trushield Matt Smooth is an acrylic exterior paint with high washability, offering excellent resistance to alkali, UV, and harsh weather.

Pack Size: 3.6L & 18L Finish: Smooth Matt

Theoretical Spread Rate: 14.5m2/l



S 0520-R



S 3020-R



9005 Jet black



Trushield Heritage Antique

Trushield Heritage Antique is a pure acrylic textured paint with high durability, providing a natural antique look and resistance to UV, weather, alkali, and pollution.

Pack Size: 18L

Finish: Special Antique Finish

Theoretical Spread Rate: 0.6-1.4 m²/l




S 6005-B50G

Trushield Heritage Traditional

Trushield Heritage Traditional is a pure acrylic textured paint with high durability, offering a traditional look and resistance to UV, weather, alkali, and pollution.

Pack Size: 18L

Finish: Special Medium Textured Design Theoretical Spread Rate: 2.0-4.0m²/l





Trushield Heritage Silk

Trushield Heritage Silk is a high-quality exterior paint with excellent UV resistance, weather durability, and non-lead pigments to prevent chalking and resist fungal attacks.

Pack Size: 18L

Finish: Smooth Silk

Theoretical Spread Rate: 2.0-4.0m²/l

Trushield Heritage Classique

Trushield Heritage Classique is a 100% pure acrylic textured paint with high durability and a classic floral finish. It resists UV rays, weather, alkali, and carbon dioxide pollution.

Pack Size: 18L

Finish: Special Antique Finish

Theoretical Spread Rate: 0.6-1.4m²/l



5024

Pastel blue



9016 Traffic white



1019 Grey beige







Trushield Heritage Glaze

Trushield Heritage Glaze is a high-quality water-based paint designed to create an artistic antique effect on any surface.

Pack Size: 18L

Finish: Smooth Silk

Theoretical Spread Rate: 14-18m²/I



S 0515-Y90R

Trushield Fine Tex

Trushield Fine Tex is a light textured paint with marble chips that covers cracks and resists harsh conditions.

Pack Size: 18L

Finish: Light Matt Texture

Theoretical Spread Rate: 1.5-3.0m²/I



9016 Traffic white



S 1040-G60Y



Trushield Heavy Tex is a textured paint with coarse aggregates, ideal for interior and exterior surfaces, offering crack coverage and resistance to tough conditions.

Pack Size: 18L

Finish: Coarse Matt Texture

Theoretical Spread Rate: 0.65-2.1m²/I



Trushield Medium Tex is a textured paint with medium aggregates, suitable for interior and exterior surfaces, offering crack coverage and resistance to tough conditions.

Pack Size: 18L

Finish: Medium Matt Texture

Theoretical Spread Rate: 1.26-2.1m²/l



S 1010-Y60R

S 0500-N



Trushield Flushcoat


Trushield Flushcoat is a tough, weather-resistant texture with marble chips, ideal for hiding minor imperfections and creating attractive patterns, available in various groove and aggregate sizes.



Pack Size: 18L

Finish: Grooved Matt Texture

Theoretical Spread Rate: 0.5-0.8m²/l



Trushield Texcoat

Trushield Texcoat is a high-build texture coating for a spatter finish, suitable as a base for Trushield smooth paints, Solvacryl, or Polyurethane.



Pack Size: 18L

Finish: Matt Texture

Theoretical Spread Rate: 0.3-2.0m²/l









Oasis Hi-Gloss Enamel

A tough, durable enamel that provides a high-gloss finish, ideal for wood, metal, and other surfaces that require a protective and decorative layer.

Pack Size: 900ML, 3.6L & 18L

Finish: Smooth Glossy

Theoretical Spread Rate: 13.0-18.2m2/l



9016 Traffic white

Oasis Eggshell Enamel

Eggshell Enamel is a durable, alkyd-based enamel for wood and steel surfaces, offering crack and abrasion resistance, strong adhesion, and washability.

Pack Size: 900ML, 3.6L & 18L

Finish: Matt

Theoretical Spread Rate: 13.0-18.2m2/l

S 1002-B



Oasis Matt Enamel

Matt Enamel is a durable, alkyd-based enamel for wood and steel, offering crack and abrasion resistance, strong adhesion, and washability.

Pack Size: 900ML, 3.6L & 18L

Finish: Matt

Theoretical Spread Rate: 16.6m2/l

Aqua

Aqua is a durable, water-based mid-sheen finish for interior plaster, masonry, and wood, ideal for areas prone to condensation. It resists yellowing, dries quickly, has low odor, and is tougher than standard emulsion paints.

Pack Size: 900ML, 3.6L & 18L

Finish: Smooth

Theoretical Spread Rate: 13.0-18.2m2/l



S 6005-B20G



S 3050-R90B

Every wall is a canvas; paint your masterpiece with Oasis.





Wood Coatings

Explore our range of wood coatings, including clear wood finishes and durable top coats, designed for superior wood protection.



Topcoats

1. Oasis Exterior PU

Mix Ratio: 10:1 by volume

Available in: Pigmented with gloss 10%,

20%, 30%, and 50%.

2. Oasis Multicoat PU

Mix Ratio: 10:1 by volume

Available in: Gloss 10%, 30% and 50%.

1. PU Topcoat Clear

Gloss

10%, 20%, 30%, 50% and 90%

2. PU Topcoat Black

10%, 20%, 30%, 50% and 90%


3. PU Topcoat White

10%, 20%, 30%, 50% and 90%

4. PU Dead Matt Clear

10%, 20%, 30%, 50% and 90%





Base Coats

PU Sanding Sealer 2220

PU Primer White 243

PU Primer White 243i

Thinners

NC Thinner 1115

NC Thinner 1110

Acrylic Thinner

PU Slow Thinner 1205

PU Thinner 1105

Catalysts

Oasis PU Catalyst 134

Oasis PU Catalyst 104

Oasis PU Catalyst 114

Oasis PU Catalyst 116

Oasis JP PU Catalyst 103

PU Catalyst 130

Protective Coatings

Discover our selection of protective coatings, engineered to shield surfaces from wear, corrosion, and environmental damage.





Floor Coatings

Penetrating Sealer
Anti-slip Coatings
Non-skid coatings for car parks
Anti-skid coatings for offshore decks/
helipads
Self-leveling solvent-free epoxy decks





Pipelines


Vinyl Ester Glass Flake Epoxy Glass Flake Epoxy Solvent-free Epoxy

Splash Zones

Modified HB Epoxy Glass Flake Epoxy Solvent-free Epoxy

Storage Tank External

Inorganic Zinc Silicate & Zinc Rich Primer MIO-based Epoxy Barrier Coatings High Build Epoxy Coatings Acrylic Aliphatic Polyurethane Highgloss Retention





Storage Tank Linings


Vinyl Ester Glass Flake Epoxy Glass Flake Epoxy Epoxy Phenolic Coatings Storage at elevated temperatures



Non-ferrous/Galvanized Stainless Steel

Degreasers Mordant Wash Modified Polysiloxane (acrylic coating) MIO-based Mid-coat

Functional



Oasis Interior Stucco

Oasis Interior Stucco is a high-solid, emulsion-based putty offering excellent filling, coverage, and sandability for a smooth finish over light surface undulations.

Oasis Exterior Stucco

Oasis Exterior Stucco is a high-solid, emulsion-based exterior putty that offers excellent filling, coverage, and a smooth base for subsequent coats, covering minor surface imperfections with limited sandability.





Block Filler

Block Filler is an acrylic-based emulsion putty designed to fill and level porous surfaces. It can be applied up to 10 mm thick, offering strong adhesion, low shrinkage, and a tough, non-sandable finish.

PVA Primer

PVA Primer (water-based) is an emulsion-based primer and sealer for interior masonry, offering excellent alkali resistance on cured plastered surfaces.

Redox Primer 53

Oasis Redox Primer 53 is a synthetic alkyd resin based rust preventive primer containing iron oxide pigments. Does not contain any added mercury.

Tex Primer

Tex Primer is a fine-textured, acrylic-based emulsion primer for textured finishes, offering excellent adhesion, coverage, and the ability to hide surface imperfections on both old and new surfaces.

Aluminum Paint (G.P)

Aluminum Paint is an alkyd-based, lead-free paint providing a glossy, weather-resistant metallic finish, usable alone or over an alkyd system.





Road Marking Paint

Road Marking Paint is a quick-drying alkyd-based paint for marking curbs, parking lines, and road maintenance.

High Build Traffic Paint

High Build Traffic Paint is a quick-drying, durable paint made from alkyd and chlorinated rubber resins, UV-resistant and ideal for traffic lines and thermoplastic road marking maintenance.

Epoxy Primer

Epoxy Primer is a two-pack primer with excellent adhesion, penetration, and strong resistance to water and chemicals.

Epoxy Zinc Phosphate Primer

Epoxy Zinc Phosphate Primer is a two-pack primer offering corrosion protection for sand-blasted steel structures, truck bodies, and OEM equipment.

Epoxy Texcoat

Epoxy Texcoat is a two-pack epoxy high build texture intermediate coating designed to give spatter finish. It can be over-coated with Oasis Polyurethane Finish.





Epoxy Filler

Epoxy Filler (solvent-free) is a two-pack, non-shrink epoxy mastic designed for filling irregularities in concrete and steel. It contains 100% solids, ensuring no shrinkage after application.

Epoxy Surface Filler

Epoxy Surface Filler is a two-pack epoxy- based filler/putty for concrete and masonry surfaces.

Wood Primer

An alkyd-based primer that seals wood, creating a smooth base for undercoat and topcoat. Suitable for all timber types.

Polyurethane

Polyurethane is a two-pack, high-performance topcoat with superior resistance to water, salt, and corrosion. Cured with aliphatic isocyanate, it resists yellowing.

Undercoat

An alkyd-based undercoat with high opacity and smooth leveling for an even topcoat surface. Lead-free.





Penetrating Sealer (W.B)

Penetrating Sealer (water-based) is an acrylic sealer with excellent penetration properties.

Penetrating Sealer (S.B)

Penetrating Sealer (solvent-based) is an acrylic sealer with excellent penetration properties.

Acrylic Primer

Acrylic Primer is a water-based, alkali-resistant acrylic primer for masonry and plaster. It offers strong adhesion and penetration, ensuring a solid base for topcoats.







Disclaimer: The images and colours used throughout the brochure are for reference only. The colour tabs will vary from the actual shades. Kindly refer to the colour fan deck for better colour understanding and matching.