

Tecturis E

Single lever shower mixer for exposed installation

Finish: **Brushed Bronze** Article Number: **73620140**



Description


product features

- 1 function
- centre distance: 150 ± 12 mm
- maximum flow rate at 3 bar: 14,9 l/min
- ceramic cartridge
- temperature limitation adjustable
- non-return valve
- with silencer
- suitable for continuous flow water heaters
- hose connection: DN15
- connection dimension: DN15
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- connection type: S-connections


Design awards




Product image



Scale drawing



Flowchart



Tecturis E


Single lever shower mixer for exposed installation

Finish: **Brushed Bronze** Article Number: **73620140**



Exploded Drawing

Year of production: >06/23



Tecturis E
Single lever shower mixer for exposed installation
 Finish: **Brushed Bronze** Article Number: **73620140**



Spare part list

Year of production: >06/23

Pos.	Description	Article Number	PC	PU
1	handle	87115140	60	1
2	hollow set screw M5x5	98446000	1	1
3	flange	94370000	9	1
4	nut	93995000	7	1
5	cartridge, assy	93895000	12	1
6	Hose Connection	96044140	55	1
7	O-ring 14x2	98129000	1	1
8	screw	94366000	3	1
9	escutcheon	87116140	57	1
10	set of S-unions	95772000	13	1
11	O-ring 29x3	98371000	2	1