

## MAC - Glass Lined Storage Water Heater 50 L - Horizontal

Product Code: MWH50H



### PRODUCT DESCRIPTION

The MAC Glass Lined Water Heater is designed for durability, safety, and energy efficiency. Built with a high-quality glass lined enameled tank and Incoloy heating element, it ensures long-lasting performance and corrosion resistance. Its compact design and advanced safety features make it ideal for modern bathrooms, delivering consistent hot water with optimal thermal insulation.

#### Key Features:

- Glass lined Enameled Tank for corrosion protection
- Incoloy Heating Element for efficient heating
- Magnesium Anode for enhanced rust protection
- Stainless Steel Enameled Inlet/Outlet Pipes
- Built-in Pressure Relief Valve for safety
- Adjustable Temperature Control
- High-Efficiency PUF Thermal Insulation

### SPECIFICATIONS

- **Rated Capacity:** 50 Liters
- **Rated Power:** 1500W
- **Rated Water Temperature:** 75°C
- **Waterproof Rating:** IPX4
- **Rated Pressure:** 0.8 MPa
- **Rated Voltage:** AC 220-240V
- **Rated Frequency:** 50/60Hz



## MAC - Glass Lined Storage Water Heater 50 L - Horizontal

Product Code: MWH50H

### SPECIFICATIONS

Model	MWH 50H
AEC (Annual Energy Efficiency)	77.25 kWh
Star Rating	★★★★★
Installation	Horizontal
Capacity	50 L
Power Supply	1 Phase
Power Input	1500 W
Voltage/Frequency	220-240V / 50Hz
Electrical Current (A)	6.25A
Rated Max Temp.	75°C
Thermal Cutout (°C)	105°
Waterproof Degree	IPX4
Min Start Pressure (MPa)	0.02 MPa
Inner Tank Material	SPCC *1.8 mm
Inner Tank Coating	Glasslined *0.5 mm
Water Inlet/Outlet	G1/2
Insulation Layer	20mm Polyurethane
Outer Shell	SPCC *0.4 mm
Heating Element	Incoloy



## MAC - Glass Lined Storage Water Heater 50 L - Horizontal

Product Code: MWH50H

### SPECIFICATIONS

Safety Valve	0.8MPa
Protective Anode	φ16*200mm
Temperature Control Range	25-75°C
Power Cable	BS Plug * 1.5M
Net/Gross Weight (kg)	15.6 / 17.5
Product Size (mm)	Φ410 * 625
Packing Dimensions (mm)	460 * 460 * 645
Loading Qty (40HQ)	500
Warranty	Parts: 1 yr, Tank: 5 yr
Spare Parts	Instruction manual *1, Safety valve *1, Hook type bolt screw *2, Dripping pipe *1
Certificate	CE, CB, ROHS, GMARK, EQM

